



SYMBOL	DIMENSION IN MM			DIMENSION IN MIL		
	MIN.	NOM.	MAX.	MIN.	NOM.	MAX.
A	0.80	0.85	1.00	31	33	39
A1	0.00	0.02	0.05	0	1	2
A2	-	0.65	1.00	-	26	39
A3	-	0.20	-	-	8	-
b	0.18	0.25	0.30	7	10	12
D	9.00 BSC			354 BSC		
D1	8.75 BSC			345 BSC		
D2	6.00	6.15	6.30	236	242	248
E	9.00 BSC			354 BSC		
E1	8.75 BSC			345 BSC		
E2	6.00	6.15	6.30	236	242	248
e	0.50 BSC			20 BSC		
L	0.30	0.40	0.50	12	16	20
Ø	0	-	14	0	-	14

NOTES

1. REFER TO JEDEC STD: MD-220
2. DIMENSION 'b' APPLIES TO METALLIZED TERMINAL AND IS MEASURED BETWEEN 0.15 MM AND 0.30 MM FROM THE TERMINAL TIP. IF THE TERMINAL HAS OPTIONAL RADIUS ON THE OTHER END OF THE TERMINAL, THE DIMENSION B SHOULD NOT BE MEASURED IN THAT RADIUS AREA.



SPECTRAL INCORPORATED
 2820 LABELWOOD
 RD.
 SANTA CLARA, CA
 95050
 TEL: 408-855-0555
 FAX: 408-855-0550

TITLE:

POD for 64 QFN(9X9)MM, 0.5MM
 PITCH_ChipMOS

DATE: 08/12/08
 DOCUMENT NO. SL/POD-00032
 REV. A
 SHEET 1 OF 2



Document History Page

Document Title: POD for 64 QFN (9X9)MM, 0.5MM PITCH_ChipMOS
Document Number: SL/POD-00032 Rev. A

Rev.	ECR No.	Date	Orig. of Change	Description of Change
A	ECR-737	8/12/2008	RP	NEW RELEASE_ChipMOS