





TOP VIEW



BOTTOM VIEW



TITLE:
PDD for 68 QFN (8X8)MM,
0.4MM PITCH_MHT

DATE:

08/10/08

DOCUMENT NO. SL/PDD-00004

REV. B

SHEET 1 OF 3

1	2	3	4	5	6	7	8	9	10	11	12
A	B	C	D	E	F	G	H	I	J	K	L

SYMBOL	COMMON DIMENSIONS		
	MIN	NOM	MAX
A	0.70	0.75	0.80
A2	0.20 REF.		
b	0.09	0.14	0.19
D	7.90	8.00	8.10
D2 Δ	3.35	3.50	3.65
E	7.90	8.00	8.10
E2 Δ	3.35	3.50	3.65
e	0.40 BSC.		
k Δ	1.71	—	—
L Δ	0.40	0.50	0.60

NOTES)
 1) ALL DIMENSIONS ARE IN MILLIMETERS
 2) DIMENSIONAL TOLERANCE UNLESS OTHERWISE SPECIFIED ± 0.10 .
 3) THE SURFACE OF THE PACKAGE SHALL BE RZ 4-8 μ m.
 4) PROTRUSIONS AT PKG. OUTLINE SHALL NOT EXCEED 0.10.



TITLE:
 PDD for 68 QFN (8X8)MM,
 0.4MM PITCH_MHT

DATE: 08/10/08
 DOCUMENT NO. SL/PDD-00004
 REV. B SHEET 2 OF 3



Document History Page

Document Title: POD for 68 QFN (8X8)MM, 0.4MM PITCH_MHT

Document Number: SL/POD-00004 Rev. B

Rev.	ECR No.	Date	Orig. of Change	Description of Change
A	ECR-518	4/10/2008	RP	NEW RELEASE
B	ECR-731	8/10/2008	RP	DOCUMENT TITLE HAS BEEN REVISED